

THE R4 SERIES



R4-GU10-WHT

R4-GU10-WHT 6W LED Lamps

R4-GU10-WHT 6 watt LED lamps, with 4 chips and an GU10 base, feature a new heatsink that allows for higher lumen output than previous lamps. Lumen output is now up to 350 lumens $\pm 10\%$ for daylight white and up to 320 lumens $\pm 10\%$ for warm white.

R4-GU10-WHT

Features

- High power 6W LED with 4 chips.
- New heatsink allowing higher luminous intensity output.
- Min. 70% lumen maintenance after 35,000 hours
- Higher energy efficiency than incandescent and halogen lamps.
- Cool beam (no UV or thermal radiation).


ELECTRONIC SPECIFICATIONS

PARAMETERS	R4-GU10-WHT
ELECTRICAL:	
Power Supply Voltage (Typ.)	100~240 Vac
Power Supply Current	< 60mA
Power Consumption	< 6W
OPTICAL:	
Operating Life	> 35,000 hrs.
Beam Angles:	30°, 45°, 50°, 55°
ENVIRONMENT:	
Operation Temperature	-20~50°C
Storage Temperature	-40~60°C
Operation Humidity	10~90%

Model	Lumen Output (lm)	Color Temperature	Beam Angle
R4-GU10-WHT-W-50	245 lm $\pm 10\%$	3000k $\pm 200k$	50°
R4-GU10-WHT-W-L-55	235 lm $\pm 10\%$		55°
R4-GU10-WHT-W-30	320 lm $\pm 10\%$	2700k $\pm 200k$	30°
R4-GU10-WHT-W-45	300 lm $\pm 10\%$		45°
R4-GU10-WHT-D-50	260 lm $\pm 10\%$	5500k $\pm 200k$	50°
R4-GU10-WHT-D-L-55	245 lm $\pm 10\%$		55°
R4-GU10-WHT-D-30	350 lm $\pm 10\%$		30°
R4-GU10-WHT-D-45	330 lm $\pm 10\%$		45°

DIMENSIONS DIAGRAMS

Unit: mm



NOTE: Do not use in outdoor or wet/humid areas or in totally enclosed fixtures.

REV: 20100621

ColorStars Group

Taiwan Operations:

Color Stars, Inc.

10F, No. 566 Jung Jeng Rd. Sindian City
Taipei County 231, Taiwan, R.O.C.

Tel: +886-2-8667-6600 Fax: +886-2-8667-1400

Email: sales@colorstars.com Website: www.colorstars.com

Headquarters:

ColorStars Group

One Technology Dr., Suite F-213
Irvine, CA 92618 USA

Tel: + (949) 336-6161; Fax: + (949) 336-6165

Email: sales@colorstars.com; Website: www.colorstars.com